


COVE™ SERIES CORDED & HARDWIRED







VERSATILE.

ADAPTABLE.

REVOLUTIONARY.

CHAMELEON OF POWER INTEGRATION

Deliver spill-resistant power, USB charging, and data capabilities to the places you need them most. Sleek in proportion, Cove's unmatched mounting capabilities provide seamless integration to nearly any surface. And with modern, easy-to-install options, you can provide unrelenting connectivity that doesn't interfere with design or time.



FEATURES:

Mounting Capabilities
Bezel /In-Surface

Applications Ancillary Furniture Work Surfaces Training Tables Soft-Sided Seating

Standard Finishes*

Silver

Black (Textured Finish)


White

Bronze

Latte

Carbon


Brushed Aluminium





SPECIFICATIONS:


- 15A/120V AC Spill-Resistant Receptacles
- 2.1A/5V Shared; Dual USB Charging Ports (Available on Select Models)
- Convenience Outlets (Available on Select Models)
- Standard Cord and Hardwire Whip Length: 108" Corded Units Equipped with 90-Degree Plug
- Customizable Telecom Plate Knockout (Available on Select Models; Plate Purchased Separately)
- · Clamp and Screw-Mounting Capabilities
- Fits Surface Thicknesses: 0.75" 1.25"
- Optional Mounting Bracket for Surface Thicknesses Up-to 1.50"
- Table Cutout: Varies by Configuration See Install Sheet for Details
- ETL Listed for US and Canada






Clamp-Mount (Featured to the right) -

- Intended Applications: desks, benches, tables; ideal for surfaces that provide access to back of unit
- Tool-free installation: unit is fastened to furniture from the rear by tightening the thumbscrews






Screw-Mount (Featured to the left) -

- Intended Applications: soft sided seating, lounge furniture, support columns; ideal for surfaces where there is limited, or no access to back of unit
- Installation requires tools: screws (not provided)
 are installed from the front of the unit, through
 the faceplate, fastening the Cove™ to the furniture

Convenience Outlets (Featured to the right) -

Intended Applications: desks, tables and work surfaces; ideal for stationary accessories like lamps, computers, or monitors that do not need to be accessed frequently. This offers surface access to charge temporary devices like laptops and mobile devices that are used regularly.






CLAMP-MOUNT BRACKETS ARE NOT SHOWN IN LINE ART DIAGRAMS


NOTE - FOR ALL UNITS SHOWN BELOW:


UNIT WIDTH = 1.80" UNIT DEPTH = 3.12" FACEPLATE WIDTH = 2.50"


CLAMP-MOUNT | POWER ONLY

6 RECEPTACLES













CLAMP-MOUNT | POWER & USB

3 RECEPTACLES












6 RECEPTACLES

CLAMP-MOUNT | CONVENIENCE OUTLETS







3 RECEPTACLES
1 DUAL USB PORT
1 CONVENIENCE OUTLET






CLAMP-MOUNT BRACKETS ARE NOT SHOWN IN LINE ART DIAGRAMS


NOTE - FOR ALL UNITS SHOWN BELOW:

UNIT WIDTH = 1.80" UNIT DEPTH = 3.12" FACEPLATE WIDTH = 2.50"


CLAMP-MOUNT | TELECOM KNOCKOUTS



SCREW-MOUNT | POWER ONLY | POWER & USB



FACEPLATE ONLY | TELECOM PLATE KNOCKOUT



METAL FACEPLATE ONLY (CORDLESS, 1 TELECOM PLATE KNOCKOUT



	FINISH	PRODUCT NUMBER
ONE POWER		
1 POWER, 1 DUAL USB, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-1U-S-108 COV-1U-B-108 COV-1U-GW-108 COV-1U-Z-108 COV-1U-L-108 COV-1U-C-108 COV-1U-AL-108
1 POWER, 1 DUAL USB, BEZEL UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-1U-S-S-108 COV-1U-S-B-108 COV-1U-S-GW-108 COV-1U-S-Z-108 COV-1U-S-L-108 COV-1U-S-C-108 COV-1U-S-AL-108
TWO POWER		
2 POWER, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-2-S-108 COV-2-B-108 COV-2-GW-108 COV-2-Z-108 COV-2-L-108 COV-2-C-108 COV-2-AL-108
2 POWER, 1 DUAL USB, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-2U-S-108 COV-2U-B-108 COV-2U-GW-108 COV-2U-Z-108 COV-2U-L-108 COV-2U-C-108 COV-2U-AL-108
2 POWER, 1 CONVENIENCE OUTLET, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-21-S-108 COV-21-B-108 COV-21-GW-108 COV-21-Z-108 COV-21-L-108 COV-21-C-108 COV-21-AL-108
2 POWER, 1 DUAL USB, 2 CONVENIENCE OUTLETS, CLAMP- ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-22U-S-108 COV-22U-B-108 COV-22U-GW-108 COV-22U-Z-108 COV-22U-L-108 COV-22U-C-108 COV-22U-AL108
2 POWER, 1 DUAL USB, 1 TELECOM PLATE KNOCKOUT, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-2U-D-S-108 COV-2U-D-B-108 COV-2U-D-GW-108 COV-2U-D-Z-108 COV-2U-D-L-108 COV-2U-D-C-108 COV-2U-D-AL-108
2 POWER, IN-SURFACE UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-2-S-S-108 COV-2-S-B-108 COV-2-S-GW-108 COV-2-S-Z-108 COV-2-S-L-108 COV-2-S-C-108 COV-2-S-AL-108
2 POWER, 1 DUAL USB, IN-SURFACE UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-2U-S-S-108 COV-2U-S-B-108 COV-2U-S-GW-108 COV-2U-S-Z-108 COV-2U-S-L-108 COV-2U-S-C-108 COV-2U-S-AL-108
2 POWER, 1 DUAL USB, 2 CONVENIENCE OUTLETS, IN-SURFACE UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-22U-S-S-108 COV-22U-S-B-108 COV-22U-S-GW108 COV-22U-S-Z-108 COV-22U-S-L-108 COV-22U-S-C-108 COV-22U-S-AL108

	FINISH	PRODUCT NUMBER
THREE POWER		
3 POWER, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-3-S-108 COV-3-B-108 COV-3-GW-108 COV-3-Z-108 COV-3-L-108 COV-3-C-108 COV-3-AL-108
3 POWER, 1 DUAL USB, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-3U-S-108 COV-3U-B-108 COV-3U-GW-108 COV-3U-Z-108 COV-3U-L-108 COV-3U-C-108 COV-3U-AL-108
3 POWER, 1 DUAL USB, 1 CONVENIENCE OUTLET, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-31U-S-108 COV-31U-B-108 COV-31U-GW-108 COV-31U-Z-108 COV-31U-L-108 COV-31U-C-108 COV-31U-AL-108
3 POWER, 1 DUAL USB, TELECOM PLATE KNOCKOUT, CLAMP- ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-3U-D-S-108 COV-3U-D-B-108 COV-3U-D-GW-108 COV-3U-D-Z-108 COV-3U-D-L-108 COV-3U-D-C-108 COV-3U-D-AL-108
3 POWER, 1 TELECOM PLATE KNOCKOUT, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-3-D-S-108 COV-3-D-B-108 COV-3-D-GW-108 COV-3-D-Z-108 COV-3-D-L-108 COV-3-D-C-108 COV-3-D-AL-108
3 POWER, 1 DUAL USB, IN-SURFACE UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-3U-S-S-108 COV-3U-S-B-108 COV-3U-S-GW-108 COV-3U-S-Z-108 COV-3U-S-L-108 COV-3U-S-C-108 COV-3U-S-AL-108



	FINISH	PRODUCT NUMBER
FOUR POWER		
4 POWER, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-4-S-108 COV-4-B-108 COV-4-Z-108 COV-4-L-108 COV-4-C-108 COV-4-AL-108
4 POWER, 1 DUAL USB, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-4U-S-108 COV-4U-B-108 COV-4U-GW-108 COV-4U-Z-108 COV-4U-L-108 COV-4U-C-108 COV-4U-C-108
4 POWER, 1 TELECOM PLATE KNOCKOUT, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-4-D-S-108 COV-4-D-B-108 COV-4-D-GW-108 COV-4-D-Z-108 COV-4-D-L-108 COV-4-D-C-108 COV-4-D-AL-108
4 POWER, 1 DUAL USB, 1 TELECOM PLATE KNOCKOUT, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-4U-D-S-108 COV-4U-D-B-108 COV-4U-D-GW-108 COV-4U-D-Z-108 COV-4U-D-L-108 COV-4U-D-C-108 COV-4U-D-AL-108
SIX POWER		
6 POWER, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-6-S-108 COV-6-B-108 COV-6-GW-108 COV-6-Z-108 COV-6-L-108 COV-6-C-108 COV-6-AL-108
6 POWER, 2 DUAL USB, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-6U-S-108 COV-6U-B-108 COV-6U-GW-108 COV-6U-Z-108 COV-6U-L-108 COV-6U-C-108 COV-6U-AL-108
6 POWER, 2 DUAL USB, 1 TELECOM PLATE KNOCKOUT, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-6U-D-S-108 COV-6U-D-B-108 COV-6U-D-GW-108 COV-6U-D-Z-108 COV-6U-D-L-108 COV-6U-D-C-108 COV-6U-D-AL-108

Other hardwire whip lengths available at cost: 36", 72", 144" and 180"

Replace -108 in the listed part number with appropriate whip length: -36, -72, -144 or -180

Screw-mount configurations available upon request - contact us for more details

Call for pricing



	FINISH	PRODUCT NUMBER
TWO POWER		
2 POWER, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-2-S-HW108 COV-2-B-HW108 COV-2-GW-HW108 COV-2-Z-HW108 COV-2-L-HW108 COV-2-C-HW108 COV-2-AL-HW108
2 POWER, 1 DUAL USB, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-2U-S-HW108 COV-2U-B-HW108 COV-2U-GW-HW108 COV-2U-Z-HW108 COV-2U-L-HW108 COV-2U-C-HW108 COV-2U-AL-HW108
THREE POWER		
3 POWER, 1 DUAL USB, 1 CONVENIENCE OUTLET, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-31U-S-HW108 COV-31U-B-HW108 COV-31U-GW-HW108 COV-31U-Z-HW108 COV-31U-L-HW108 COV-31U-C-HW108 COV-31U-AL-HW108
FOUR POWER		
4 POWER, 1 DUAL USB, CLAMP-ON UNIT WITH 108" STANDARD CORD	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-4U-S-HW108 COV-4U-B-HW108 COV-4U-GW-HW108 COV-4U-Z-HW108 COV-4U-L-HW108 COV-4U-C-HW108 COV-4U-AL-HW108
FACEPLATE CONFIGURATIONS		
	FINISH	PRODUCT NUMBER
COVE FACE PLATE WITH TELECOM PLATE KNOCKOUTS	SILVER BLACK WHITE BRONZE LATTE CARBON BRUSHED ALUMINIUM	COV-D-S COV-D-B COV-D-GW COV-D-Z COV-D-L COV-D-C
MOUNTING ACCESSORIES		
	FINISH	PRODUCT NUMBER
OPTIONAL MOUNTING BRACKET FOR TABLE THICKNESSES UP TO 1.5"	BLACK	COV-1.5-BRKT

Other hardwire whip lengths available at cost: $36\mbox{\ensuremath{''}},72\mbox{\ensuremath{''}},144\mbox{\ensuremath{''}}$ and $180\mbox{\ensuremath{''}}$ Replace -108 in the listed part number with appropriate whip length: -36, -72, -144 or -180 SCREW-MOUNT CONFIGURATIONS AVAILABLE UPON REQUEST - CONTACT US FOR MORE DETAILS CALL FOR PRICING

