

LOCI



LOCI

DESIGNER

- UNION Design

LEAD TIME

- 6-8 weeks

GSA

- SIN 33721

SPECIFICATIONS

Top

- 0.75" thick solid oak
- 0.75" x 2.25" solid oak apron
- Satin finish urethane topcoat

Legs

- Hollow leg for cable management
- Constructed of 0.75" thick solid oak
- Satin finish urethane topcoat
- Ganging leg available for connecting multiple tables
- Legs are configurable as waterfall, single overhang, or double overhang
- ADA compliant option
- Metal leg cap available for added durability

Beam

- Open for cable management
- Constructed of 0.75" thick solid oak

Glides

- Adjustable, non-marring
- Available in nylon, steel, felt, or rubber

Power

- Power can be surface mounted to the tabletop or the side of the rail underneath the top.
-

REGULATORY

- Meets ANSI/BIFMA X5.5

SUSTAINABILITY

Made in America

Indoor Air Quality Gold Certified through SCS Global

Wood

- FSC certified wood
- Sourced within 200 mile radius of Louisville, KY
- Solid wood construction allows for lifetime of refinishing

Stain/Top Coat

- UV cured water-based urethane topcoat
- Low VOC and formaldehyde free

Steel Cap

- 85% total recycled content (78% post-consumer, 7% pre-consumer)

Glides

- 5-10% pre-consumer recycled content

Hardware

- 10% pre-consumer recycled content


Cartons & Packaging

- 20% pre-consumer recycled content



MODEL

24" x 84" - Single Overhang



| | | |
|--------------|---------|------|
| TL2484-30-AD | Café | 9374 |
| TL2484-36-AD | Counter | 9558 |
| TL2484-41-AD | Bar | 9623 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 1 carton | 48" x 90" x 30" | 76.5 CF | 166.3lbs

MODEL

24" x 84" - Double Overhang



| | | |
|--------------|---------|------|
| TL2484-30-FS | Café | 9310 |
| TL2484-36-FS | Counter | 9495 |
| TL2484-41-FS | Bar | 9560 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 1 carton | 48" x 90" x 30" | 76.5 CF | 166.3lbs

MODEL

24" x 84" - Waterfall



| | | |
|--------------|---------|------|
| TL2484-30-WF | Café | 9462 |
| TL2484-36-WF | Counter | 9646 |
| TL2484-41-WF | Bar | 9712 |

Shipping


All pricing is FOB Louisville, KY.

LTL | 1 carton | 48" x 90" x 30" | 76.5 CF | 166.3lbs

LOCI

MODEL

24" x 168" - Single Overhang



| | | |
|---------------|---------|-------|
| TL24168-30-AD | Café | 15662 |
| TL24168-36-AD | Counter | 15908 |
| TL24168-41-AD | Bar | 16036 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 2 cartons | 48" x 90" x 30" | 76.5 CF | 333lbs

MODEL

24" x 168" - Double Overhang



| | | |
|---------------|---------|-------|
| TL24168-30-FS | Café | 15447 |
| TL24168-36-FS | Counter | 15693 |
| TL24168-41-FS | Bar | 15821 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 2 cartons | 48" x 90" x 30" | 76.5 CF | 333lbs

MODEL

24" x 168" - Waterfall



| | | |
|---------------|---------|-------|
| TL24168-30-WF | Café | 15750 |
| TL24168-36-WF | Counter | 15996 |
| TL24168-41-WF | Bar | 16124 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 2 cartons | 48" x 90" x 30" | 76.5 CF | 333lbs

MODEL

24" x 252" - Single Overhang



| | | |
|---------------|---------|-------|
| TL24252-30-AD | Café | 22627 |
| TL24252-36-AD | Counter | 22936 |
| TL24252-41-AD | Bar | 23127 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 3 cartons | 48" x 90" x 30" | 76.5 CF | 499lbs

MODEL

24" x 252" - Double Overhang



| | | |
|---------------|---------|-------|
| TL24252-30-FS | Café | 22413 |
| TL24252-36-FS | Counter | 22848 |
| TL24252-41-FS | Bar | 23038 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 3 cartons | 48" x 90" x 30" | 76.5 CF | 499lbs

MODEL

24" x 252" - Waterfall



| | | |
|---------------|---------|-------|
| TL24252-30-WF | Café | 22861 |
| TL24252-36-WF | Counter | 23025 |
| TL24252-41-WF | Bar | 23215 |

Shipping


All pricing is FOB Louisville, KY.

LTL | 3 cartons | 48" x 90" x 30" | 76.5 CF | 499lbs

LOCI

MODEL

42" x 84" - Single Overhang



| | | |
|--------------|---------|-------|
| TL4284-30-AD | Café | 11175 |
| TL4284-36-AD | Counter | 11500 |
| TL4284-41-AD | Bar | 11795 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 1 carton | 48" x 90" x 30" | 76.5 CF | 241lbs

MODEL

42" x 84" - Double Overhang



| | | |
|--------------|---------|-------|
| TL4284-30-FS | Café | 10995 |
| TL4284-36-FS | Counter | 11400 |
| TL4284-41-FS | Bar | 11625 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 1 carton | 48" x 90" x 30" | 76.5 CF | 241lbs

MODEL

42" x 84" - Waterfall



| | | |
|--------------|---------|-------|
| TL4284-30-WF | Café | 11350 |
| TL4284-36-WF | Counter | 11625 |
| TL4284-41-WF | Bar | 11875 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 1 carton | 48" x 90" x 30" | 76.5 CF | 241lbs

MODEL

42" x 168" - Single Overhang



| | | |
|---------------|---------|-------|
| TL42168-30-AD | Café | 19528 |
| TL42168-36-AD | Counter | 19892 |
| TL42168-41-AD | Bar | 20256 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 2 cartons | 48" x 90" x 30" | 76.5 CF | 482lbs

MODEL

42" x 168" - Double Overhang



| | | |
|---------------|---------|-------|
| TL42168-30-FS | Café | 19313 |
| TL42168-36-FS | Counter | 19677 |
| TL42168-41-FS | Bar | 20168 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 2 cartons | 48" x 90" x 30" | 76.5 CF | 482lbs

MODEL

42" x 168" - Waterfall



| | | |
|---------------|---------|-------|
| TL42168-30-WF | Café | 19616 |
| TL42168-36-WF | Counter | 19980 |
| TL42168-41-WF | Bar | 20344 |

Shipping


All pricing is FOB Louisville, KY.

LTL | 2 cartons | 48" x 90" x 30" | 76.5 CF | 482lbs

LOCI

MODEL

42" x 252" - Single Overhang



| | | |
|---------------|---------|-------|
| TL42252-30-AD | Café | 27337 |
| TL42252-36-AD | Counter | 27910 |
| TL42252-41-AD | Bar | 28395 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 3 cartons | 48" x 90" x 30" | 76.5 CF | 723lbs

MODEL

42" x 252" - Double Overhang



| | | |
|---------------|---------|-------|
| TL42252-30-FS | Café | 27104 |
| TL42252-36-FS | Counter | 27822 |
| TL42252-41-FS | Bar | 28307 |


Shipping

All pricing is FOB Louisville, KY.

LTL | 3 cartons | 48" x 90" x 30" | 76.5 CF | 723lbs

MODEL

42" x 252" - Waterfall



| | | |
|---------------|---------|-------|
| TL42252-30-WF | Café | 27513 |
| TL42252-36-WF | Counter | 27998 |
| TL42252-41-WF | Bar | 28484 |

Shipping


All pricing is FOB Louisville, KY.

LTL | 3 cartons | 48" x 90" x 30" | 76.5 CF | 723lbs



POWER PLACEMENT

Table Top Mount


Waterfall Legs
- three available locations



Single Overhang Legs
- two available locations



Double Overhang Legs
- one available location




LOCI


POWER PLACEMENT (cont.)

Rail Mount


Waterfall Legs
- three available locations




Single Overhang Legs
- three available locations



Double Overhang Legs
- two available locations



POWER OPTIONS




Cove Round | \$680

FEATURES

- Surface mount
- 15A/120V AC spill resistant receptacles
- 2.1A dual USB charger
- Fits surface thicknesses: 0.75" - 1.25"
- 108" cord
- Comes with charcoal metal trim (optional use)

FINISHES

- Black | COV-R-2U-B-108
- Silver | COV-R-2U-S-108
- White | COV-R-2U-GW-108




Cove Mini Round | \$530

FEATURES

- Surface mount
- 1 15A AC power outlet
- 2 2.1A USB charging ports
- 108" 15 amp single circuit cord

FINISHES

- Black | COV-SM-R-1UB108
- Silver | COV-SM-R-1US108
- Glossy White | COV-SM-R-1UGW108




Cove Mini Rectangle | \$530

FEATURES

- Surface mount
- 1 15A AC power outlet
- 2 2.1A USB charging ports
- 108" 15 amp single circuit cord

FINISHES

- Black | COV-SM-1U-B-108
- Silver | COV-SM-1U-S-108
- Glossy White | COV-SM-1U-GW108



Cove Rectangle | \$560

FEATURES

- Surface mount
- 2 15A AC power outlets
- 2 2.1A USB charging ports
- 108" 15 Amp single circuit cord

FINISHES

- Black | COV-2U-B-108
- Silver | COV-2U-S-108
- Glossy White | COV-2U-GW-108




Poppy Wireless Charger | \$230

FEATURES

- Surface mount, positioned over column
- Fits surface thicknesses: 0.63" - 1.57"
- Table cutout 2.44" - 2.55" diameter
- Charges Qi 5W, iPhones 7.5W fast-charging, and Samsung 10W fast-charging devices

FINISHES

- Black | POP-B-72



Node | \$430

FEATURES

- Surface mount
- Power data center
- 1 dual USB charger
- 1 power outlet with 72" cord

FINISHES

- Matte Storm | BE03359-1-1-Z427-MAC1-72
- Matte White | BE03359-1-1-Z679-MAC1-72
- Matte Black | BE03359-1-1-Z523-MAC1-72

LOCI

POWER OPTIONS (cont.)



Sand Dollar 2" | \$240

FEATURES

- Surface mount
- 2 2.1A USB charging ports
- 72" cord

FINISHES

- Black | SAN-2-U-B-72
- White | SAN-2-U-W-72
- Gray | SAN-2-U-GY-72
- Light Blue | SAN-2-U-LB-72
- Light Green | SAN-2-U-LG-72
- Sulfur Yellow | SAN-2-U-SY-72
- Pure Orange | SAN-2-U-PO-72
- Signal Red | SAN-2-U-SR-72



Sand Dollar 3" | \$280

FEATURES

- Surface mount
- 2 15A AC tamper resistant receptacles
- 2 2.1A USB charging ports
- 72" cord

FINISHES

- Black | SAN-3-2U-B-72
- White | SAN-3-2U-W-72
- Gray | SAN-3-2U-GY-72
- Light Blue | SAN-3-2U-LB-72
- Light Green | SAN-3-2U-LG-72
- Sulfur Yellow | SAN-3-2U-SY-72
- Pure Orange | SAN-3-2U-PO-72
- Signal Red | SAN-3-2U-SR-72

ACCESSORIES




Grommets | \$75

- 2 piece with snap in cover
- Routes cables through table
- Available in black
- Round: GR9201



Hook | \$75

- Secured underneath top
- Available in black




Leg Cap | \$245 per leg

- Protects bottom of leg from damage
- Available in black

FINISHES

Wood Stain



Natural

Timber

Coffee

Black

Clay

Navy

Evergreen

HOW TO SPECIFY

1. Select model #.
2. Select wood stain color.
3. Select power (if applicable).
4. Select accessories (if applicable).
5. Select glide type: nylon (N), steel (S), felt (F), or rubber (R).